

MONARCH
TRUCK CENTER

1015 Timothy Drive
San Jose, CA 95133
408-275-0500

29899 Union City Bvd.
Union City, CA 94587
510-471-5530

L | SERIES

MY28 L6/L7

HINO TRUCKS

ENGINE

Model	Cummins B6.7
Max. output	240-260 hp @ 2,400 rpm
Max. torque	600-660 lb.-ft. at 1,600 rpm
Transmission	Allison six speed automatic with NAS (neutral at stop)
Front Axle	Meritor MFS series reverse Elliot, "I" beam (oil lubricated)
Rear Axle	Meritor, full floating, single reduction, single-speed, hypoid gearing

ELECTRICAL EQUIPMENT

Batteries	STD Two, parallel connection, 1,320 CCA (GR 31)
	OPT Multiple battery choices 2 / 3
Alternator	STD-12V, 130 A, Delco (brush)
	OPT 12V, 135A (brushless) / OPT 160A (brush)
	OPT 200A (brush)

TANKS (GALLONS)

Fuel Tanks	STD single 50 / OPT Single 70 OPT Single 90
DEF Tanks	STD 7.4

CABS

Day Cab	Seats: 3 BBC: 108"
Extended Cab	Seats: 5 BBC: 138"
Dashboard	Digital Instrument Cluster

HINO SAFETY SUITE

*Hino's safety suite is included** on L Series chassis equipped with air brakes. The Hino safety suite includes a Collision Mitigation System (CMS) with Adaptive Cruise Control (ACC) and Lane Departure Warning (LDW), along with an Antilock Brake System (ABS), Automatic Traction Control (ATC), and Electronic Stability Control (ESC)."*

4x2 STRAIGHT TRUCK

Wheelbase	in.	152	175	187	205	212	217	235	242	253	271	301
Cab to Axle (Day Cab)	in.	84.6	107.6	119.6	137.6	144.6	149.6	167.6		185.6	203.6	233.6
Cab to Axle (Extended Cab)	in.								144.6	155.6		203.6

L6

WEIGHT CAPACITIES:
Front axle range: 8,000-12,000 lbs
Rear axle range: 17,500-19,000 lbs

GVWR: 23,000-25,950 LBS

Engine HP	STD B6.7 240 hp / OPT B6.7L 260 hp
Transmission	STD 2200HS / OPT 2200RDS / OPT 2500HS / OPT 2500RDS / OPT 3000HS
Brakes	STD Hydraulic disc / STD Air S-Cam drum / STD Air Disc*
Front axle/susp.	STD 8,000 lbs / OPT 10,000/12,000 lbs
Rear susp. type	STD Spring multi leaf / OPT Hendrickson Comfort Air w/ electric dump valves
Rear axle/susp.	STD 17,500 / 19,000 lbs / OPT 19,000 / 19,000 lbs
Rear axle ratio	STD. 5.57, Additional ratios available based on application
Wheel size	STD 19.5" (25.5k GVRW) / OPT 22.5" (23k GVWR & 26k GVWR)
Wheel type	STD Powder coated white / OPT Alcoa Aluminum
Frame yield strength	STD 80K PSI (1.0 M RBM)

L7

WEIGHT CAPACITIES:
Front axle range:10,000-14,000 lbs
Rear axle range: 21,000-23,000 lbs

GVWR: 33,000 LBS

Engine HP	STD B6.7 260 hp
Transmission	STD 2500RDS / OPT 2500HS / OPT 3000RDS / OPT 3000HS / OPT 3500RDS
Brakes	STD Air S-cam drum / OPT Air disc*
Front axle/susp.	STD 12,000 / OPT 10,000 / OPT 13,200 / OPT 14,000
Rear susp. type	STD 21,000 / OPT 23,000
Rear axle/susp.	STD Multi leaf spring (23k lbs) / OPT Multi leaf spring (31k lbs) / OPT Hendrickson 23K Comfort Air w/ electric dump valves
Rear axle ratio	STD. 5.29, Additional ratios available based on application
Wheel type	STD Powder coated white / OPT Alcoa Aluminum
Frame yield strength	STD 120K PSI(1.9 M RBM)

POPULAR OPTIONAL EQUIPMENT - L6 / L7

- Allison FuelSense 2.0 + NAS w/ Dynactive and Acceleration Rate Management
- Anti-siphon device insert in fuel tank
- Back-up alarm
- Engine idle shutdown
- Exhaust system - vertical stack type
- Mirrors, single arm fender mounted, outside rearview, power heated - chrome or black
- Power windows and door locks (with or without keyless entry)
- Programmable speed limit 65/70/75 mph
- Stabilizer bar, rear (leaf suspension only)
- Trailer brake package
- Battery disconnect & jump studs
- Full LED Headlights including high/low beams, daytime running and indicator lights

SERVICES

Cummins · HINO EDGE · HINOWATCH 3-YEAR 24/7 ASSISTANCE · Allison Transmission 5 YEAR WARRANTY

Cummins	Engine	STD 3 Year Unlimited
Hino Edge	Telematics	STD 5 Year
HinoWatch	24/7 Roadside Assistance	STD 3 Year
Allison 5 Year Warranty	Transmission	STD 5 Year

**Not all equipment combinations are compatible. For compatibility, additional options and specifications, please visit your local Authorized Hino Trucks Dealer. Are you a body company? Additional information @ hinobodybuilder.com*
***CMS, ACC, LDW, ATC, and ESC may be deleted during vehicle specification. ABS remains standard.*

PFAS

Legal Disclaimer - The equipment and specifications shown are subject to change without notice. The information, content, and materials are presented "as is" at the time of publication, and no representations are made that the content is error-free. ©Hino Motors Sales U.S.A., Inc. All rights reserved. All other marks are trademarks of their respective owners.

HSMY28LSPEC1026

MONARCH TRUCK CENTER

1015 Timothy Drive
San Jose, CA 95133
408-275-0500

29899 Union City Blvd.
Union City, CA 94587
510-471-5530


HINO
TRUCKS
MORE THAN
A TRUCK
HINOWATCH
3-YEAR 24/7 ASSISTANCE
HINOWATCH
3-YEAR 24/7 ROADSIDE ASSISTANCE
MONARCH
TRUCK CENTER
1015 Timothy Drive
San Jose, CA 95133
408-275-0500
29899 Union City Blvd.
Union City, CA 94587
510-471-5530


HINOWATCH

3-YEAR 24/7 ROADSIDE ASSISTANCE

With HinoWatch, you can drive confidently, knowing that we're there to help if anything goes wrong, 24 hours a day, every day of the year. For the first three years of ownership of a new Hino truck, regardless of mileage, HinoWatch helps with roadside assistance from anywhere in the United States for free.

HINO TRUCKS

MORE THAN A TRUCK



CALL US ANYTIME.

1-866-365-HINO (4466)

All calls to HinoWatch are free, and you can rest assured that one of our specially trained representatives will arrange to get you back on the road as quickly as possible. So, if you ever have a problem, call the HinoWatch toll-free number: 1-866-365-HINO (4466), and provide your vehicle identification number (VIN), current truck location, and a description of the problem, then roadside assistance will be dispatched.




STANDARD SERVICES:

LOCKOUT SERVICE: If you are locked out of your truck, HinoWatch will coordinate help to get you into your truck so you can get back on the road quickly.

BATTERY JUMPSTART: HinoWatch also helps with battery jumpstart. If your batteries are dead, HinoWatch will coordinate help with a jumpstart to ensure you get back on the road quickly.

INFORMATION: When driving, perhaps you are looking for the nearest dealer or have a basic question regarding your truck; feel free to call the toll-free number anytime.



PREMIUM SERVICES:

TOWING: HinoWatch will help owners arrange a tow truck if needed. If towing is required to an authorized dealer due to a failure that is covered by Hino Trucks warranty, you will be reimbursed for the towing expense at the completion of the repairs*.

*Towing is covered under warranty up to 24 months for Hino Trucks component failure and 36 months for Cummins component failure.

ROADSIDE SERVICE: If requested by the customer, a customer representative will assist in arranging roadside service free of charge. Expenses occurred by the roadside assistance service is not covered by HinoWatch.

TIRE SERVICE: HinoWatch will assist the customer in arranging for roadside tire service free of charge, if requested. Expenses occurred by the tire service is not covered by HinoWatch.

OUT OF FUEL/DIESEL EXHAUST FLUID (DEF): A HinoWatch vendor will arrive with fuel* or DEF* to get you on your way.

*Customer is responsible for fuel, DEF, and roadside service costs.

ULTIMATE OWNERSHIP EXPERIENCE | HINO EDGE | HINOWATCH 3-YEAR 24/7 ASSISTANCE | Allison 5 YEAR WARRANTY | INCLUSIV

Legal Disclaimer - The equipment and specifications shown are subject to change without notice. The information, content, and materials are presented "as is" at the time of publication, and no representations are made that the content is error-free. ©Hino Motors Sales U.S.A., Inc. All rights reserved. All other marks are trademarks of their respective owners.

HSHINOWATCH1026

MONARCH TRUCK CENTER

1015 Timothy Drive
San Jose, CA 95133
408-275-0500

29899 Union City Bvd.
Union City, CA 94587
510-471-5530

L | SERIES
WARRANTY
COVERAGE

MY28 HINO L SERIES TRUCK - L6/L7

DESCRIPTION	STD/OPT	MONTHS	MILEAGE
BASE VEHICLE WARRANTY Provides warranty coverage against defects in material and workmanship. Includes towing to the nearest Hino dealer for warrantable failures. Adjustments and expendables items are covered for 90 days or 3,000 miles. Batteries are covered for 12 months with unlimited mileage.	STD.	24	UNLTD.
ENGINE AND AFTERTREATMENT SYSTEM WARRANTY The base warranty for Cummins B6.7 is 3 years with unlimited mileage, including parts and labor on warrantable failures. *For details about the B6.7, see your local Hino dealer, or visit cummins.com.*	STD.	36	UNLTD.
EXTENDED ENGINE WARRANTY - 4 TO 6 YEARS (OPTIONS) Extended coverage plans are available with options for up to 6 years or 300,000 miles. *Most popular plan options shown, for details about the B6.7, see your local Hino dealer, or visit cummins.com.*	OPT. OPT. OPT. OPT. OPT. OPT.	60 60 60 72 72 72	200,000 250,000 300,000 150,000 200,000 250,000
EPA BASE EMISSIONS SYSTEM WARRANTY - 5 YEARS OR 100,000 Miles Provides warranty coverage against defects in material and workmanship for all components that comprise the emissions system.	STD.	60	100,000
EXTENDED AFTERTREATMENT SYSTEM WARRANTY 4 TO 6 YEARS (OPTIONS) Extended coverage plans are available with options for up to 6 years or 300,000 miles. *Most popular plan options shown, for details about the B6.7, see your local Hino dealer, or visit cummins.com.*	OPT. OPT. OPT. OPT. OPT. OPT.	60 60 60 72 72 72	200,000 250,000 300,000 150,000 200,000 250,000
FRAME RAILS & CROSS MEMBERS Provides warranty coverage against structural cracks in the frame caused by defects in material and workmanship	STD.	60	UNLTD.
CAB Provides warranty coverage against corrosion perforation of the cab structure.	STD.	60	UNLTD.
ALLISON AUTOMATIC TRANSMISSION- 5 YEARS (STANDARD) Limited Warranty includes 100% parts and labor for the coverage period. Repairs are performed at Allison Authorized Dealers.	STD.	60	UNLTD.
ANTI-LOCK BRAKING SYSTEM (ABS) AIR/HYDRAULIC ABS control module, modulator valves, and wheel sensors.	STD.	36	300,000

Legal Disclaimer - All warranties shown are subject to change without notice. The information, content, and materials are presented "as is" at the time of publication, and no representations are made that the content is error-free. ©Hino Motors Sales U.S.A., Inc. All rights reserved. All other marks are trademarks of their respective owners.

HSLWARRANTY1026

MONARCH TRUCK CENTER

1015 Timothy Drive
San Jose, CA 95133
408-275-0500

29899 Union City Blvd.
Union City, CA 94587
510-471-5530

MONARCH
TRUCK CENTER

ISUZU TRUCK

HINO TRUCKS
A Toyota Group Company

authorized Isuzu Dealer



Bob Padilla
510-520-3293



Ben Rivas
510-825-0067



Ruben Campoy
408-483-3496

Monarch Truck Center

Bay Area Leader In Medium Duty Trucks

408-275-0500

monarchtruck.com